Renfert GmbH



# **Safety Data Sheet**

according to 29 CFR 1910.1200(g)

Renfert-Scanspray 1731 0000

Revision date: 04/25/2022 Product code: 17310000\_USA Page 1 of 7

## 1. Identification

#### **Product identifier**

Renfert-Scanspray 1731 0000

## Recommended use of the chemical and restrictions on use

#### Use of the substance/mixture

Renfert-Scanspray is designed for extraoral use, in a laboratory environment, for use on prepared models and impressions prior to scanner exposure.

#### Uses advised against

No information available.

# Details of the supplier of the safety data sheet

#### Manufacturer

Company name: Renfert GmbH
Street: Untere Giesswiesen 2
Place: D-78247 Hilzingen

Telephone: +49 7731 8208-0 Telefax: +49 7731 8208-70

e-mail: info@renfert.com
Contact person: Frau Andris

e-mail: silke.andris@renfert.com Internet: www.renfert.com

Supplier

Company name:

Street:

Place:

USA-60174 St. Charles IL
Telephone:

e-mail:

Renfert USA
3718 Illinois Avenue
USA-60174 St. Charles IL
001) 800336-7422
Bob@RenfertUSA.com

Contact person: Charlie Hagy Telephone: +1 (630) 5497380

e-mail: Charlie@RenfertUSA.com

Internet: www.renfert.com

Emergency phone number: USA: 800-222-1222 (National Poison Control number) | CA: British Columbia:

800-567-8911 or 604-682-5050 Alberta: 1-800-332-1414 or 944-1414 Saskatchewan: 1-866-454-1212 Manitoba: 1-855-776-4766 Ontario: 1-800-268-9017 Quebec: 1-800-463-5060 New Brunswick: 911 New Foundland: 1-866-727-1110 Northwest

Territories: 1-800-332-1414 Nova Scotia: 1-800-565-8161

# 2. Hazard(s) identification

#### Classification of the chemical

#### 29 CFR Part 1910.1200

Flammable aerosols: Flam. Aerosol 1

Hazardous to the aquatic environment: Aquatic Chronic 3

#### Label elements

## 29 CFR Part 1910.1200

Signal word: Danger Pictograms:

#### **Hazard statements**

Extremely flammable aerosol

Pressurised container: may burst if heated Harmful to aquatic life with long lasting effects

#### **Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

Avoid release to the environment.

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

#### Hazards not otherwise classified

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## 3. Composition/information on ingredients





according to 29 CFR 1910.1200(g)

#### Renfert-Scanspray 1731 0000

Revision date: 04/25/2022 Product code: 17310000\_USA Page 2 of 7

#### **Mixtures**

#### Chemical characterization

Aerosol

#### **Hazardous components**

CAS No	Components	Quantity
64-17-5	ethanol	2,5 - 10 %
109-66-0	pentane	< 5 %

#### 4. First-aid measures

#### **Description of first aid measures**

#### After inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician.

#### After contact with skin

No special measures are necessary.

In case of skin irritation, consult a physician.

## After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

#### After ingestion

Rinse mouth. When in doubt or if symptoms are observed, get medical advice.

## Most important symptoms and effects, both acute and delayed

No information available.

#### Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### 5. Fire-fighting measures

#### **Extinguishing media**

## Suitable extinguishing media

Carbon dioxide (CO2), Extinguishing powder, Water spray jet, alcohol resistant foam

# Unsuitable extinguishing media

Full water jet

## Specific hazards arising from the chemical

Extremely flammable aerosol.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use

## Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus.

Do not inhale explosion and combustion gases

## 6. Accidental release measures

## Personal precautions, protective equipment and emergency procedures

#### General advice

Use personal protection equipment.

Remove all sources of ignition.

Provide adequate ventilation.

# **Environmental precautions**

Do not allow to enter into surface water or drains.

## Methods and material for containment and cleaning up

# Other information

Provide adequate ventilation.

# Reference to other sections

Safe handling: see section 7

Personal protection equipment (PPE): see section 8

Disposal: see section 13

## 7. Handling and storage

## Precautions for safe handling

## Advice on safe handling

Use only in well-ventilated areas. If handled uncovered, arrangements with local exhaust ventilation should be used if

Keep away from sources of ignition - No smoking.



according to 29 CFR 1910.1200(g)

Renfert-Scanspray 1731 0000

Revision date: 04/25/2022 Product code: 17310000\_USA Page 3 of 7

#### Advice on protection against fire and explosion

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Do not spray on naked flames or any incandescent material. Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharges.

#### Advice on general occupational hygiene

Provide adequate ventilation.

Wash hands before breaks and after work.

Keep away from food, drink and animal feedingstuffs.

## Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep only in the original container in a cool, well-ventilated place.

#### Further information on storage conditions

Protect against: Heat, UV-radiation/sunlight

Heating causes rise in pressure with risk of bursting.

#### 8. Exposure controls/personal protection

#### **Control parameters**

#### **Exposure limits**

CAS No.	Substance	ppm	mg/m³	f/cc	Category	Origin
64-17-5	Ethyl alcohol (Ethanol)	1000	1900		TWA (8 h)	PEL
64-17-5	Ethyl alcohol	1000	1900		TWA (8 h)	REL
75-28-5	Isobutane	800	1900		TWA (8 h)	REL
109-66-0	n-Pentane	120	350		TWA (8 h)	REL
		C 610	C 1800		Ceiling	REL
109-66-0	Pentane	1000	2950		TWA (8 h)	PEL

## **Exposure controls**







#### Appropriate engineering controls

Safe handling: see section 7

## Individual protection measures, such as personal protective equipment

## Eye/face protection

Wear eye/face protection.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

Suitable material: NBR (Nitrile rubber), Butyl caoutchouc (butyl rubber), NR (natural rubber, Natural latex)

Thickness of the glove material: >= 0,4 mm

Breakthrough time: >= 60 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

## Respiratory protection

Use only in well-ventilated areas.

Usually no personal respirative protection necessary.

## Environmental exposure controls

Do not allow to enter into surface water or drains.

#### 9. Physical and chemical properties

## Information on basic physical and chemical properties

Physical state: Aerosol
Color: white
Odor: characteristic

## Changes in the physical state



according to 29 CFR 1910.1200(g)

	Renfert-Scanspray	1731 0000	
Revision date: 04/25/2022	Product code: 1731000	0_USA	Page 4 of 7

Melting point/freezing point: not determined Boiling point or initial boiling point and boiling - 11 °C

range:

Flash point: not applicable

Flammability

Solid/liquid: not applicable Gas: not applicable Lower explosion limits: 1,8 vol. % Upper explosion limits: 8,5 vol. % Auto-ignition temperature: 460 °C

Self-ignition temperature Solid: not applicable Gas: not applicable Decomposition temperature: not determined pH-Value: not applicable Viscosity / dynamic: not applicable Viscosity / kinematic: not applicable Water solubility: **Immiscible** Partition coefficient n-octanol/water: not determined Vapor pressure: 3000 hPa (at 20 °C) Density (at 20 °C): 0,64 g/cm<sup>3</sup>

Other information

Other safety characteristics

< 10 % Solid content: Evaporation rate: not applicable

**Further Information** 

## 10. Stability and reactivity

## Reactivity

No hazardous reaction when handled and stored according to provisions.

## **Chemical stability**

The product is chemically stable under recommended conditions of storage, use and temperature.

## Possibility of hazardous reactions

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. In case of warming: Danger of bursting container.

# Incompatible materials

No information available.

## **Hazardous decomposition products**

No known hazardous decomposition products

## 11. Toxicological information

## Information on toxicological effects

## **Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Components							
	Exposure route	Dose		Species	Source	Method		
109-66-0	pentane							
	inhalation (4 h) vapour	LC50	364 mg/l	Rat	GESTIS			

## Irritation and corrosivity

Based on available data, the classification criteria are not met.

# Sensitizing effects

Based on available data, the classification criteria are not met.

# Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.



according to 29 CFR 1910.1200(g)

Renfert-Scanspray 1731 0000

Revision date: 04/25/2022 Product code: 17310000\_USA Page 5 of 7

## Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met.

## Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Carcinogenicity (OSHA): No ingredient of this mixture is listed.

Carcinogenicity (IARC): Ethanol in alcoholic beverages (CAS 64-17-5) is listed in group 1.

Carcinogenicity (NTP): No ingredient of this mixture is listed.

**Aspiration hazard** 

Based on available data, the classification criteria are not met.

## Information on other hazards

#### **Endocrine disrupting properties**

No information available.

#### **Further information**

The product has not been tested. The statement is derived from the properties of the single components

#### 12. Ecological information

#### **Ecotoxicity**

There are no data available on the mixture itself.

#### Persistence and degradability

There are no data available on the mixture itself.

## **Bioaccumulative potential**

There are no data available on the mixture itself.

#### Mobility in soil

There are no data available on the mixture itself.

#### **Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## Other adverse effects

No information available.

### **Further information**

The product has not been tested. The statement is derived from the properties of the single components. Do not allow uncontrolled discharge of product into the environment.

#### 13. Disposal considerations

## Waste treatment methods

## **Disposal recommendations**

Dispose of waste according to applicable legislation.

## 14. Transport information

## U.S. DOT 49 CFR 172.101

UN 1950
Proper shipping name:

UN 1950
AEROSOLS

Transport hazard class(es):2.1Hazard label:2.1



# Marine transport (IMDG)

UN 1950 UN proper shipping name: UN 1950

Transport hazard class(es):2.1Packing group:-Hazard label:2.1



Marine pollutant:





according to 29 CFR 1910.1200(g)

Renfert-Scanspray 1731 0000

Revision date: 04/25/2022 Product code: 17310000\_USA Page 6 of 7

Air transport (ICAO-TI/IATA-DGR)

UN number or ID number: UN 1950

UN proper shipping name: AEROSOLS, flammable

Transport hazard class(es):

Packing group:
Hazard label:

2.1



**Environmental hazards** 

ENVIRONMENTALLY HAZARDOUS: No

Special precautions for user

Further information: see section 6, 7, 8

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

## 15. Regulatory information

## **U.S. Regulations**

#### National regulatory information

SARA Section 311/312 Hazards:

Isobutane (75-28-5): Fire hazard

ethanol (64-17-5): Fire hazard, Immediate (acute) health hazard

Pentane (109-66-0): Fire hazard, Immediate (acute) health hazard

Clean Air Act Section 112(r):

Isobutane (75-28-5): Threshold quantities = 10,000 lbs.

Pentane (109-66-0): Threshold quantities = 10,000 lbs.

#### **State Regulations**

## Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

REGULATION (EC) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on substances that deplete the ozone layer: not applicable

REGULATION (EU) 2019/1021 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on persistent organic pollutants

: not applicable

REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the export and import of hazardous chemicals: not applicable

## 16. Other information

#### **Hazardous Materials Information Label (HMIS)**

Health:0Flammability:4Physical Hazard:1Personal Protection:B

Changes

 Revision date:
 04/25/2022

 Revision No:
 2.1

Abs. 2, 3, 8, 11, 12, 15, 16 \* Data changed compared with the previous version.

## Abbreviations and acronyms

PBT: persistent and bioaccumulative and toxic vPvB: very persistent, very bioaccumulative

CAS: Chemical Abstracts Service (division of the American Chemical Society)

ATE: Acute Toxicity Estimate LD50: lethal dose, 50%

LC50: lethal concentration, 50%

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement concernant le transport international ferroviaire de marchandises Dangereuses (Regulations Concerning





according to 29 CFR 1910.1200(g)

Renfert-Scanspray 1731 0000

Revision date: 04/25/2022 Product code: 17310000\_USA Page 7 of 7

the International Transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

VOC: volatile organic compound(s)

#### Other data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. Restricted to professional users.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)